
Little Salmon River Subbasin Assessment and TMDL





This space intentionally left blank for correct double-sided printing.

Little Salmon River TMDL

February 2006

Prepared by:
Boise Regional Office
Department of Environmental Quality
1445 N. Orchard St.
Boise ID 83706

This space intentionally left blank for correct double-sided printing.

Table of Contents

Table of Contents	v
List of Tables	ix
List of Figures	xi
Abbreviations, Acronyms, and Symbols	xiii
Executive Summary	xvii
Subbasin at a Glance Key Findings TMDLs Public Participation	xx
1. Subbasin Assessment – Watershed Characterization	
1.1 Introduction	1 2 5 7
Subwatershed Characteristics Stream Characteristics 1.3 Cultural Characteristics Land Ownership, Cultural Features, and Population Land Use History Economics Recreation	24 27 31 33
2. Subbasin Assessment – Water Quality Concerns and Status	37
2.1 Water Quality Limited Assessment Units Occurring in the Subbasin About Assessment Units Listed Waters 2.2 Applicable Water Quality Standards Beneficial Uses	39 40 40
Criteria to Support Beneficial Uses	46 46 46
Sediment	48 49 50 51

StreamStat	
Little Salmon River	
Mud Creek	
Big Creek	
Goose Creek	
Brundage Reservoir	
GeologySix Mile Creek/ Four Mile Creek/ Three Mile Creek	
Round Valley Creek	
Hazard Creek	
Boulder Creek	
Elk Creek	
Indian Creek	
First and Second Order Tributaries to the Little Salmon River below Round Valley Cre	
Sheep Creek	
Hat Creek	
Denny Creek	
Lockwood Creek	
Rattlesnake Creek	
Fall Creek	
Rapid River	
Shingle Creek	
Squaw Creek	
3. Subbasin Assessment–Pollutant Source Inventory	152
3. Subbasiii Assessiileiti-r ollutaiit Source Ilivelitory	133
3.1 Sources of Pollutants of Concern	153
Point Sources	
Nonpoint Sources	153
Pollutant Transport	
3.2 Data Gaps	156
·	
4. Subbasin Assessment – Summary of Past and Present Pollution Control Efforts	157
4.1 Point Sources	157
4.2 Nonpoint Sources	157
4.3 Reasonable Assurance	
5. Total Maximum Daily Loads	163
5.1 In-stream Water Quality Targets	161
Temperature	
Design Conditions	
Target Selection	
Monitoring Points	
Margin of Safety	
Seasonal Variation	
5.2 Load Capacity	
5.3 Estimates of Existing Pollutant Loads	
5.4 Load Allocation	
Wasteload Allocation	
Reserve	
Nutrients	
Background	
Existing Pollutant Loads	
Monitoring Points	170

Margin of Safety	176
Seasonal Variation/Critical Condition	176
Load Capacity/Load Allocation	
Wasteload Allocation	
Reserve	
Bacteria	
Load Capacity/Load Allocation	
Wasteload Allocation	
Reserve	
Reasonable Assurance	
Construction Storm Water and TMDL Waste Load Allocations	
WAG Consultation	
5.5 Implementation Strategies	
Time Frame	
Approach	
Responsible Parties	
Monitoring Strategy	
5.6 Conclusions	191
References Cited	193
Appendix A. Unit Conversion Chart	
Appendix B. Distribution List	219
Appendix C. Additional Data and Load Equations	221
Little Salmon River	222
Brundage Reservoir	
· ·	
Appendix D. Tributary Temperature Analysis	227
Appendix E. Public Participation and Public Comment	241
A Statistical Model for Estimating Stream Temperatures in the Salmon and Clearwater River Basins, Central Idaho by Mary M. Donato, Water Resources-Investigations Report 02-4195	244
Aquatic Assemblages and Their Relation to Temperature Variables of Least-Disturbed Stream the Salmon River Basin, Central Idaho, 2001by Douglas S. Ott and Terry R. Maret, Water	
Resources-Investigations Report 03-4076	
WAG Consultation	249
Index	251

This space intentionally left blank for correct double-sided printing.

List of Tables

Table A. Idaho 2002 §303(d)1 listed water bodies, water body description, and pollutant of conce Little Salmon River Watershed.	rn, xviii
Table B. Streams and Pollutants for which TMDLs Were Developed	xxi
Table C. Summary of Assessment Outcomes for 2002 303(d) List	xxii
Table 1. Climatological summary data, 1961-1988 (IWRB 2001)	5
Table 2. Soil characteristics of the Little Salmon River Basin.	9
Table 3. Fish species in Little Salmon River watershed (IDWR 1998).	14
Table 4. Periodicity information for Little Salmon River watershed, downstream of fish passage	• • •
barriers.	16
Table 5. Periodicity information for Little Salmon River, Hazard Creek and Elk Creek, upstream from the company of the company	
fish passage barriers.	17
Table 6. Estimated average annual runoff.	21
Table 7. Summary of estimated annual economic values for fishing, livestock, crops, mining, and	- '
timber sectors to the Little Salmon River basin area.	35
Table 8. 2002 §303(d) Segments in the Little Salmon River Subbasin.	40
Table 9. Little Salmon River Subbasin beneficial uses of §303(d) listed streams.	42
Table 10. Little Salmon River Subbasin beneficial uses of assessed, non-§303(d) listed streams.	42
Table 11. Selected numeric criteria supportive of designated beneficial uses in Idaho water qualit	
standards.	44
Table 12. Little Salmon River 2004 bacteria monitoring results.	61
Table 13. Little Salmon River: DEQ water body assessment scores.	66
Table 14. Little Salmon River: DEQ large river water body assessment scores.	66
Table 15. Mud Creek: DEQ water body assessment scores.	72
Table 17. Big Creek bacteria results	80
Table 18. Goose Creek: DEQ water body assessment scores.	86
Table 19. Six Mile Creek: DEQ water body assessment score.	92
Table 20. Round Valley Creek: DEQ water body assessment scores.	96
Table 21. Hazard Creek and Hard Creek: DEQ water body assessment scores.	103
Table 22. Boulder Creek estimated irrigation use.	110
Table 23. Boulder Creek: DEQ water body assessment scores.	113
Table 24. Elk Creek estimated irrigation use.	117
Table 25. Elk Creek: DEQ water body assessment score.	119
Table 26. Indian Creek: DEQ water body assessment scores.	123
Table 27. Rapid River: DEQ water body assessment scores.	139
Table 28. Shingle Creek: DEQ water body assessment scores.	144
Table 29. Squaw Creek: DEQ water body assessment scores.	150
Table 30. City of New Meadows Wastewater Treatment Plant and Rapid River Fish Hatchery	153
Table 31. Pollution control projects.	158
Table 32. Comprehensive Restoration Projects that include the LSR watershed.	160
Table 33. State of Idaho's regulatory authority for nonpoint pollution sources.	161
Table 34. Drainage Area Size and Stream Width.	168
Table 35. Target Percent Shade (as a fraction) for Four Community Types at Varying Stream Wic	
Table 33. Target Fercent Shade (as a naction) for Four Community Types at Varying Stream Wic	170
Table 36. Existing and Potential Solar Loads for Little Salmon River from Vick Creek to Round Va	
Creek.	172
Table 37. Wasteload allocation for New Meadows Wastewater Treatment Plant (WWTP)	175
Table 38. Load Allocation for Nutrients (Total Phosphorus): Little Salmon River (Big Creek to Rou	
Valley Creek) at LSR 3 and Big Creek (BC1)	178
Table 39. Bacteria Load Capacity and Allocation for Little Salmon River and Big Creek.	181
Table 40. New Meadows WWTP Load Allocation.	181
Table C-1. LSR 1 (Little Salmon River at Riggins) 2004 Results	223
Table C-2. LSR 2 (Little Salmon River at White Bird Ridge Road) 2004 Results	223

Little Salmon River Subbasin Assessment and TMDL

February 2006

224
224
224
225
225
228
dows
228
229
230
231
232
233
234
234
235
236
237
238

List of Figures

Figure 1. L	Little Salmon River Basin	4
	Little Salmon River Basin Precipitation Contours.	
	Little Salmon River Basin Geology	
	Little Salmon River Basin Soils.	
	Little Salmon River Basin Topography	
	Little Salmon River Basin Land Cover.	
	Little Salmon River Basin Hydrology	
	Rosgen Stream Characteristics.	
	Stream Order	
	Little Salmon River Basin Land Ownership	
	Little Salmon Basin Census Districts.	
Figure 12.	Idaho Population Growth by County (2001)	30
	Little Salmon River Land Use	
	Travel before Highway 95 Construction	
	Little Salmon River Watershed Assessment Units	
	Process for determining support status of beneficial uses in wadeable streams: Water	
	Assessment Guidance, Second Addition (Grafe et al. 2002)	45
Figure 17.	Mass Wasting Potential: Little Salmon River (DEQ 2005)	56
Figure 18.	Little Salmon River Near 45 th Parallel: Average Daily Temperature	58
	Little Salmon River Near Six Mile Creek: 2004 Average Daily Temperature	
	Little Salmon River at Riggins: Average Daily Temperature	
	Little Salmon River Average Monthly Flow at Mouth (USGS)	
	Little Salmon River Monitoring Sites.	
	Periphyton Present at Little Salmon River at New Meadows	
Figure 24.	Little Salmon River: 2004 Total Phosphorus Concentrations.	64
Figure 25.	Little Salmon River: 2004 Suspended Sediment Concentrations.	65
	Mud Creek Subwatershed	
Figure 27.	Mud Creek (March 2005).	70
Figure 28.	Mud Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	70
Figure 29.	Mud Creek at Highway 95 Bridge: 2005 Average Daily Temperature	71
Figure 30.	Big Creek Average Monthly Flows at Mouth (Estimated using StreamStat)	76
Figure 31.	2004 BC1 and BC2 Flows	77
Figure 32.	Big Creek: 2004 Instantaneous Temperatures.	78
Figure 33.	Big Creek In-stream Average Daily Temperatures (Upper Watershed)	79
Figure 34.	Big Creek: 2004 Total Phosphorus Results.	79
	Goose Creek Subwatershed	
	Goose Creek upstream of confluence with Little Goose Creek	
	Goose Creek Average Monthly Flow at confluence of Little Goose Creek and Goose Cr	
	mated Using StreamStat)	
	Summer Water Temperature in Goose Creek (USFS 2003)	
Figure 41.	Six Mile Creek Temperature Data (USFS 2004)	90
	Six Mile Creek (July 2004-Lower Reach)	
	Four Mile Creek (2003 on USFS Land)	
	Three Mile Creek (Summer 2002)	
	Round Valley Creek.	
	Round Valley Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	
Figure 47.	Hazard Creek (August 2003).	97
Figure 48.	Hazard Creek and Hard Creek Watershed	98
Figure 49.	Hard Creek, a Tributary of Hazard Creek (August 2003)	99
	Hazard Creek: Average Monthly Flow at Mouth (Estimated Using StreamStat)	
	Hazard Creek Summer Average Daily In-stream Temperatures (USFS 2004)	
Figure 52.	Hard Creek Summer Average Daily In-stream Temperatures (USFS 2004)	104

Little Salmon River Subbasin Assessment and TMDL

February 2006

Figure 53.	Boulder Creek Falls (August 2002).	105
Figure 54.	Boulder Creek Watershed.	107
Figure 55.	Middle of Boulder Creek Watershed (August 2004)	108
Figure 56.	Boulder Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	110
	Lower Boulder Creek.	
-	Elk Creek Subwatershed.	
	Elk Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	
	Indian Creek Near Mouth (November 2004).	
	Indian Creek Subwatershed.	
	Indian Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	
	Lockwood, Indian, Rattlesnake, Denny, Hat, and Sheep Creeks	
	Sheep Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	
	Hat Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	
	Rattlesnake Creek Average Monthly Flow at Mouth (Estimated Using StreamStat)	
•	Rapid River Upstream of Fish Hatchery (March 2005)	
	Rapid River Subwatershed.	
	Rapid River Average Monthly Flow at Mouth (USFS).	
	Rapid River (September 2003).	
	Rapid River Temperatures (USFS 2004).	
	Shingle Creek Subwatershed.	
•	Shingle Creek Average Monthly Flow at Mouth (USFS).	
•	Squaw Creek Subwatershed	
	Bankfull Width as a Function of Width to Depth Ratio and Drainage Area.	
	-aaa. a. a. allower of them to beput had and brainage / float minimum	

Abbreviations, Acronyms, and Symbols

§303(d) Refers to section 303 subsection (d) of the Clean Water Act, or a list of impaired

water bodies required by this section

μ micro, one-one thousandth

§ Section (usually a section of federal or state rules or statutes)

AU assessment unit

AWS agricultural water supply

BLM United States Bureau of Land Management

BMP best management practice

BOR United States Bureau of Reclamation

BURP Beneficial Use Reconnaissance Program

C Celsius

CFR Code of Federal Regulations (refers to citations in the federal administrative

rules)

cfs cubic feet per second

cm centimeters

CWA Clean Water Act

CWE cumulative watershed effects

DEQ Department of Environmental Quality

DO dissolved oxygen

DWS domestic water supply

EPA United States Environmental Protection Agency

F Fahrenheit

GIS Geographical Information Systems

HUC Hydrologic Unit Code

IDAPA Refers to citations of Idaho administrative rules

IDFG Idaho Department of Fish and Game

IDL Idaho Department of Lands

IDWR Idaho Department of Water Resources

INFISH the federal Inland Native Fish Strategy

km kilometer

km² square kilometer

LA load allocation

LC load capacity

m meter

m³ cubic meter

mi mile

mi² square miles

MGD million gallons per day

mg/L milligrams per liter

mm millimeter

MOS margin of safety

NA not assessed

NB natural background

NPDES National Pollutant Discharge Elimination System

NRCS Natural Resources Conservation Service

NTU nephelometric turbidity unit

PCR primary contact recreation

ppm part(s) per million

QA quality assurance

QC quality control

RDI DEQ's River Diatom Index

RFI DEQ's River Fish Index

RCA riparian conservation area

RMI DEQ's River Macroinvertebrate Index

SBA subbasin assessment

SCR secondary contact recreation

SFI DEQ's Stream Fish Index

SHI DEQ's Stream Habitat Index

SMI DEQ's Stream Macroinvertebrate Index

SRW special resource water

SS salmonid spawning

STATSGO State Soil Geographic Database

TDS total dissolved solids

TMDL total maximum daily load

TP total phosphorus

TS total solids

TSS total suspended solids

U.S. United States

U.S.C. United States Code

USDA United States Department of Agriculture

USFS United States Forest Service

USGS United States Geological Survey

WAG Watershed Advisory Group

WBAG Water Body Assessment Guidance

WBID water body identification number

WLA wasteload allocation

WQLS water quality limited segment

WQS water quality standard

Executive Summary

The federal Clean Water Act (CWA) requires that states and tribes restore and maintain the chemical, physical, and biological integrity of the nation's waters. States and tribes, pursuant to Section 303 of the CWA are to adopt water quality standards necessary to protect fish, shellfish, and wildlife while providing for recreation in and on the waters whenever possible. Section 303(d) of the CWA establishes requirements for states and tribes to identify and prioritize water bodies that are water quality limited (i.e., water bodies that do not meet water quality standards). States and tribes must periodically publish a priority list of impaired waters, currently every two years. For waters identified on this list, states and tribes must develop a total maximum daily load (TMDL) for the pollutants, set at a level to achieve water quality standards.

This document addresses water bodies in the Little Salmon River Subbasin that have been placed on what is known as the "§303(d) list" as well as other water bodies in the watershed.

This subbasin assessment and TMDL analysis has been developed to comply with Idaho's TMDL schedule. This assessment describes the physical, biological, and cultural setting; water quality status; pollutant sources; and recent pollution control actions in the Little Salmon River Subbasin located in central Idaho. The first part of this document, the subbasin assessment, is an important first step leading into the TMDL. The starting point for this assessment was Idaho's current §303(d) list of water quality limited water bodies.

The subbasin assessment portion of this document examines the current status of §303(d) listed waters and defines the extent of impairment and causes of water quality limitation throughout the subbasin (Table A). The loading analysis quantifies pollutant sources and allocates responsibility for load reductions needed to return listed waters to a condition of meeting water quality standards.

Subbasin at a Glance

The Little Salmon River Watershed (Figure A) lies entirely in central Idaho and comprises about 576 square miles. The Little Salmon River originates at about 6,280 feet off of Blue Bunch Ridge. The watershed is 45 miles long and ranges from 0.5 to 22 miles wide. Located at the 45th parallel, the watershed is about 500 miles inland from the Pacific Ocean. The river flows north for 51 miles to its confluence with the Salmon River at river mile 86.7 at Riggins (IDWR 2001). US Highway 95 parallels most of the Little Salmon River.

This watershed lies within Hydrologic Unit Code (HUC) 17060210.

Table A. Idaho 2002 §303(d)¹ listed water bodies, water body description, and pollutant of concern, Little Salmon River Watershed.

Water Body Name	Assessment Unit ID Number	2002 §303(d) Boundaries	Pollutants	Listing Basis
Little Salmon River	17060210SL0 01_02	Round Valley Creek to Mouth	Sediment	EPA
Little Salmon River	17060210SL0 07_05	5 th Order	Unknown	EPA
Little Salmon River	17060210SL0 07_04	4 th Order	Temperature	EPA
Big Creek	17060210SL0 09_02a	1 st and 2 nd Order	Unknown	DEQ
Elk Creek	17060210SL0 16_03	Little Elk Creek to Mouth	Sediment	USFS
Indian Creek	17060210SL0 01_03	Source to Mouth	Sediment	EPA
Shingle Creek	17060210SL0 02_02a	2 nd Order	Sediment	EPA
Brundage Reservoir	17060210SL0 11L-0L	Reservoir	Temperature	EPA

¹Refers to a list created in 1998 of water bodies in Idaho that did not fully support at least one beneficial use. This list is required under section 303 subsection "d" of the Clean Water Act.




Figure A. Little Salmon River Watershed

Key Findings

TMDLs were developed for two 303(d) listed streams: the Little Salmon River (5th order assessment unit) and Big Creek (Table B): Other subbasin assessment outcomes are shown in Table C.

All streams in the watershed for which DEQ obtained information are described in section 2. Many of these streams were not on the 303(d) list of impaired waters and did not require TMDLs. The streams discussed in section 2, but not included in the executive summary because they were not on the 303(d) list and are not proposed for listing are: Mud Creek, Three Mile Creek, Four Mile Creek, Six Mile Creek, Martin Creek, Round Valley Creek, Hazard Creek, Boulder Creek, Rattlesnake Creek, Fall Creek, Denny Creek, Hat Creek, Sheep Creek, Lockwood Creek, Squaw Creek, and Rapid River. If there was enough information for these streams that a call regarding beneficial use support could be made, that was done and if there was not information to make a decision regarding beneficial use support (e.g the lower reaches of Three Mile Cree, Four Mile Creek, and Martin Creek) then that is stated.

TMDLs

The **Little Salmon River** from Big Creek to Round Valley Creek was found to have beneficial uses impaired by temperature, nutrients, and bacteria. TMDLs were developed for these pollutants. The Little Salmon River from Vicks Creek to Big Creek was found to have beneficial uses impaired by temperature. A TMDL was developed for this pollutant.

Potential natural vegetation (shade) was used as a surrogate for temperature because this would achieve natural background conditions. The temperature targets are based on IDAPA 58.01.02.200.09 which states that "when natural background conditions exceed any applicable water quality criteria set forth in Sections 21, 250, 251 or 253, the applicable water quality criteria shall not apply; instead pollutant levels shall not exceed the natural background conditions. In laymen's terms, the temperature targets are based on a natural riparian plant cover condition over the stream. In this TMDL, the potential natural vegetation cover represents the loading capacity of the streams in terms of minimum heat load. This analysis contains an implicit margin of safety as all streams are assumed to be at potential natural vegetation when in reality natural cover can be more variable due to natural forces. Existing vegetative cover represents the existing load of heat to the streams.

The load capacity for nutrients was calculated using a target of 0.075 mg/L total phosphorus. This target was determined to prevent excessive algal growth.

Bacteria concentrations were in violation of the state standard for both primary and secondary contact recreation. A TMDL was developed based on the state standard that waters designated for primary and secondary contact recreation not contain *E. coli* bacteria significant to the public health in concentrations exceeding a geometric mean of 126 E. coli organisms/100mL.

The Little Salmon River from Round Valley Creek to the mouth showed support of beneficial uses. However, DEQ was unable to analyze the effect of coarse sediment in the system. Several government agencies including USBR and the BLM have pointed out that coarse sediment transported as part of the 1997 flood is potentially reducing salmonid spawning in places and leading to channel aggradation. DEQ proposes to list the Little Salmon River from Round Valley Creek to the mouth for habitat alteration and delist for sediment. This listing is on the basis of DEQ Beneficial Use Reconnaissance Program (BURP) scores that did not indicate impairment and low suspended sediment data. However, the listing for habitat alteration is in recognition that the system was changed due to the construction of the highway and the channel remains constricted, leading to potential coarse sediment loading problems. The state of Idaho's antidegration policy applies in this case and existing uses must be maintained and protected from any activities that would result in human caused excess sediment delivery to the system.

Big Creek was listed for an unknown pollutant. Elevated nutrient and bacteria levels were found in the creek. TMDLs were developed for nutrients and bacteria. The load capacities were based on the same targets (0.075 mg/L total phosphorus and a geometric mean of 126 cts/100 mL of E. coli) as the Little Salmon River TMDL.

Elk Creek, Indian Creek, and Shingle Creek were all listed for sediment. Beneficial uses were fully supported in these watersheds and TMDLs are not necessary.

Brundage Reservoir was monitored weekly for temperature from early July through Mid-August 2005. Monitoring occurred in late afternoon and early evening when reservoir temperatures would be highest. No violations of the cold water temperature standard were seen. Brundage Reservoir is proposed for delisting for temperature.

Goose Creek was assessed as part of DEQ's Beneficial Use Reconnaissance Program (BURP) and was found to have impaired beneficial uses. Goose Creek is proposed for listing on the 303(d) list for an unknown pollutant. Lack of flow may be a causal factor in impairment of beneficial uses for Goose Creek. Therefore, a TMDL was not developed at this time. DEQ did not have the time during the writing of this TMDL to characterize the flows in Goose Creek to determine if intermittence was impairing beneficial uses.

Table B. Streams and Pollutants for which TMDLs Were Developed

Stream	Pollutant(s)
Little Salmon River (5 th Order –Big Creek to Round Valley Creek)	Temperature, bacteria, nutrients
Little Salmon River (4 th Order-Vicks Creek to Big Creek)	Temperature
Big Creek	Bacteria, nutrients

Table C. Summary of Assessment Outcomes for 2002 303(d) List

Waterbody Segment (assessment unit)	Pollutant	TMDL(s) Completed	Recommended Changes to §303(d) List
Little Salmon River (SL007_04)	Temperature	Temperature	None
Little Salmon River (SL007_05)	Unknown	Temperature, bacteria, nutrients	None
Little Salmon River (SL001_2)	Sediment	None	Delist for sediment List for habitat alteration
Big Creek (SL009_02a)	Unknown	Bacteria, nutrients	None
Elk Creek (SL016-03)	Sediment	None	Delist for sediment
Indian Creek (SL01-03)	Sediment	None	Delist for sediment
Shingle Creek (SL002-02a)	Sediment	None	Delist for sediment
Brundage Reservoir (SL011L-0L)	Temperature	None	Delist for temperature
Goose Creek (SL010_04)	Unknown	None	List for an unknown pollutant

Public Participation

DEQ has complied with the WAG consultation requirements set forth in Idaho Code § 39-3611. A WAG was officially formed in May 2004 for the Little Salmon River TMDL. DEQ provided the WAG with information concerning applicable water quality standards, water quality data, monitoring, assessments, reports, procedures, and schedules. The Little Salmon River WAG was officially recognized by DEQ in May of 2004. The group met regularly over the course of the development of the TMDL in New Meadows. In 2005, the WAG met January 31st, April 5th, June 14th, August 23rd, September 15th and December 8th. In 2004, the WAG met on May 17th, July 12th and September 15th.

DEQ utilized the knowledge, expertise, experience and information of the WAG in developing this TMDL. DEQ also provided the WAG with an adequate opportunity to participate in drafting the TMDL, reviewing draft versions of the TMDL and suggesting changes to the document.

Concern from some WAG members was expressed at the high reductions required for Big Creek for bacteria. In particular, those WAG members wondered if these reductions were

possible. A WAG member pointed out that the E. coli present from the largely grass fed cows in the Meadows Valley area are far less virulent then the strains of E. coli that are excreted from grain fed cows.

At the end of the September 15, 2005 meeting of the Little Salmon River WAG, the WAG members present voted their approval to go out for public comment with the Little Salmon River TMDL. A public meeting was held on November 10th, 2005. The three WAG members present at a meeting on February 9, 2006 voted their approval to submit the final draft to EPA. Since a majority was not present, a majority vote was solicited by DEQ by mail and email. A majority vote was obtained on February 22nd.

One WAG voting member voted against submitting the TMDL to EPA because he felt that the sections on Mud Creek, Three Mile Creek, Four Mile Creek, Six Mile Creek and Martin Creek were impaired for beneficial uses and that additional data needed to be collected to ascertain whether on not this is the case. He stated that there had been significant discussion of these creeks and whether or not they were impaired but additional monitoring was not conducted during the course of TMDL development.

He stated that Kirk Campbell from the Idaho Department of Agriculture in his report "Little Salmon River Year Two Water Quality Report April 2005 through October 2005" that beneficial uses are impaired from data he collected on the Four Mile Creek site as well as other sites to be higher amounts than what meets the state tolerances. Mr. Campbell also stated at the December 2005 WAG meeting that Four Mile Creek was impaired rather than undetermined. The WAG member stated at that meeting that Leslie Freeman from DEQ would check into the alternatives of listing Three Mile, Four Mile and Martin Creek. That has not been done to this member's satisfaction.

The WAG member went on to state that these creeks are likely to be elevated nutrient/bacteria/temperature transporting streams that flow into the Little Salmon River as described by Kirk Campbell in his report on Four Mile Creek because of their similarity.

Also, DEQ did not include information in the TMDL on proposed monitoring in 2006 of Four Mile, Three Mile, Martin, Squaw and Six Mile Creeks (monitoring that was supported by a vote of the WAG). The member also stated that DEQ did not clearly delineate that lack of information prevented the agency from making a beneficial use support status call on the lower reaches of these creeks (see section 2 for more details on these specific streams). In addition, 2005 monitoring information was not presented in the TMDL.

The Idaho Department of Agriculture will monitor those streams if they can obtain access to them from the landowners in 2006. The WAG member emphasized that documentation of whether or not access was granted by landowners needed to occur in the TMDL in order to lend credibility to the document. Four Mile Creek was monitored sporadically in 2005 and not enough data was collected to determine whether the creek was impaired or unimpaired. This past and future monitoring will help delineate nutrient/bacteria loading to the system for the purposes of implementation planning for the mainstem Little Salmon River. If

information regarding beneficial use impairment is gathered during this monitoring, it may be submitted to DEQ for 303(d) (integrated report) listing.